ENDOCRINOTOX VADEMECUM

Homeopathic regulation of the neuroendocrine system

Edited by Roy Martina, M.D., C.A., D.Ht

ENDOCRINOTOX HANDBOOK

Homeopathic regulation of the neuroendocrine system

© Copyright 1993, Bioresearch Group N.V.

Reprinted in May 2000 All rights reserved. No part of this publication may be reproduced by any means without the prior permission of the publisher.

INDEX

Introduction Applications General Endocrinotox Therapy Description of the remedies Endocrinotox No. 1 -PMS Endocrinotox No. 2 -GENERAL MALE REGULATION Endocrinotox No. 3 -GENERAL FEMALE REGULATION Endocrinotox No. 4 -LEFT OVARY Endocrinotox No. 5 -**RIGHT OVARY** Endocrinotox No. 6 -PITUITARY GLAND Endocrinotox No. 7 -MALE GONAD ENDOCRINE TYPE Endocrinotox No. 8 -FEMALE GONAD ENDOCRINE TYPE Endocrinotox No. 9 -ADRENAL GLANDS Endocrinotox No 10 -HYPOTHYROID Endocrinotox No. 11 -HYPERTHYROID Endocrinotox No. 12 -CYCLOSHORT Endocrinotox No. 13 -**CYCLOMETRE** Endocrinotox No. 14 -**CYCLOREGULAR** Endocrinotox No. 15 -**CYCLOSTIM** Endocrinotox No. 16 -**CYCLOPRECLIM** Endocrinotox No. 17 -**CYCLOCLIM** Endocrinotox No. 18 -**CYCLODYSMENO** Endocrinotox No. 19 -**UTERUS** Endocrinotox No. 20 -MASTO Endocrinotox No. 21 -PROSTATE Endocrinotox No. 22 -POST-NATAL Endocrinotox No. 23 -REGENERATION Endocrinotox No. 24 -REGULATION FOR **NEUROIMMUNE CHILDREN** Endocrinotox No. 25 -NEUROIMMUNO Endocrinotox No. 26 -PARATHYROIDS Detoxification and Endocrinotox Therapy Pregnancy and Endocrinotox Therapy Children and Endocrinotox Therapy Regeneration and Endocrinotox Therapy Highly sensitive patients and Endocrinotox Therapy Acupuncture and Endocrinotox Therapy The Bioenergy Test and Endocrinotox Therapy Therapeutic Index

INTRODUCTION

In medicine, a good detoxification of the tissues and extracellular fluids ensures good results in a high percentage of cases. Doctors who have used Detox, Allergyplex and Endotox know that they can achieve excellent results.

However, a small number of patients do not react to the remedies or find that they are only partially effective. This can be due to many different factors but the absence of a good maintenance therapy can be one of the many causes.

Maintenance therapy has three aims:

- 1) Prevention avoiding toxins accumulating again
- 2) Regeneration "cleaning up" the arteries and regenerating and rejuvenating stressed organs.
- 3) Constitutional therapy this requires the deep action of the Homeopathic polycrests in order to strengthen genetic weaknesses.

After the first signs of improvement have been seen in the patient, they are often left to their own devices, and some patients simply don't go back to their doctor for a second visit. Unfortunately, patients who interrupt their treatment after seeing the first signs of improvement revert to their previous state.

Other patients can return to their original state prior to treatment as a result of allergies or food intolerances.

Other reasons such as smoking, alcohol, lack of physical exercise, poor diet, stress, electromagnetic frequencies, work and family problems etc. can also mean that the therapy does not have a stabilising effect.

Endocrinotox remedies are extremely effective in all these cases.

The Endocrinotox range of remedies support the metabolism and regenerate organs with endocrine function. As a result the patient is better equipped to react when subjected to emotional and stressful factors.

The Endocrinotox range is a new development in complex Homeopathy. It consists of 26 preparations which are fully synergic in their action. These products are tested and formulated using a combination of the INTEGRA and Vega methods.

These preparations have significant effects on the various endocrine types.

There are certain endocrine constitutions that determine the various types and that differ according to fat tissue localisations. The accumulation of fat is categorised under different "endocrine types", which are classified in the following 4 ways:

- 1 fat tissue predominantly on the stomach ("beer belly")
- 2 fat tissue predominantly on the thorax (front and back)
- 3 fat tissue on the hips (particularly in women)
- 4 fat tissue all over the body

By identifying where the excess fat tissue is located, one can determine to which endocrine type someone belongs.

The Endocrinotox remedies are extremely effective and have clinical, acute and symptomatic indications.

Summary: Endocrinotox remedies can be used in all types of therapy. They produce excellent results when combined with the Detox and Endotox remedies. They can also be used to prepare the patient for emotional therapy with Flowerplex or for allergy treatment using Allergyplex.

Sensitivity or negative reactions to these remedies are extremely rare and they can have quite a profound effect on the neuroendocrine system. Depending on the dosage, their regenerative effects can be seen after 2-4 weeks.

APPLICATIONS

Endocrine types

There are various endocrine types which are classified according to their constitution. The classification indicates which organic neuroendocrine system is structurally weak.

There are 4 types for women and 3 types for men:

Women:	Pituitary, adrenal, thyroid, gonad
Men:	Pituitary, adrenal, thyroid

Pituitary endocrine type

The function of the pituitary gland plays a key role in this endocrine type.

The physique of these patients is similar to that of a child. The head is usually larger than normal and there is an accumulation of fat all over the body, which is typical for children. They generally prefer dairy products and fruit.

This endocrine type is extremely stressed and thinks more about work rather than actually doing it. They are easily distracted, have a tendency towards becoming irritable and are susceptible to allergies.

Adrenal endocrine type

The function of the adrenal gland plays a key role in this endocrine type.

Externally they have a solid physique and obvious muscle masses. They have a tendency towards developing a "beer belly". They usually prefer meat, potatoes and eggs. This endocrine type is also extremely stressed, as well as aggressive and irritable. When they are stressed they have an increased need for dairy products. They have a predisposition towards heart disorders, arteriosclerosis and diabetes.

Thyroid endocrine type

The thyroid plays a key role in this endocrine type. They are usually tall with long limbs and have fat within the thorax.

They usually prefer proteins, sweet foods and coffee. This endocrine type can work extremely intensely - during these intense work phases they have periods of fatigue. They have a tendency towards irritability when under stress and prefer bread and eggs. They have a predisposition towards influenza, colitis and allergies.

Gonad endocrine type

This type is most commonly found amongst women. It is more difficult to identify in men. Ovarian function plays a key role in this type. You will generally see an increase in fat around the hips and less fat on the upper body. They prefer fatty, creamy, strongly-flavoured or salty foods. Their energy curve is stable and is evenly distributed during the course of the day. They are a little irritable under stress and prefer fruit. They are susceptible to fibromas, tumours and cysts.

Stress

There is a natural inclination towards eating foods that stimulate one's dominant glands, which create a particular emotional state. When under stress, the body also tends to crave foods that are likely to suppress the dominant glands.

GENERAL ENDOCRINOTOX THERAPY

The best method is to firstly identify to which endocrine type the patient belongs and then treat the patient with the relevant remedy. This enables you to strengthen the constitutional weaknesses and helps to establish a good basis for a more intense treatment and recovery.

Total regeneration therapy

This type of therapy is particularly indicated in the following cases:

- 1) General Prophylaxis
- 2) Treatment for drug-resistant patients (who do not respond adequately to medical treatment)
- 3) Debilitated or weak patients
- 4) As a rejuvenation protocol after successful treatment
- 5) Preventive therapy for young patients

1) Preparatory phase

To balance the entire neuro-endocrine axis and the circulation.

Remedies:

- Endocrinotox No. 2 (General male regulation)

- Endocrinotox No. 3 (General female regulation)

- Endocrinotox No. 23 (Regeneration)

- Endotox No. 1 (Circulation)

Dosage: 15 drops of each remedy, 3 times a day Duration of therapy: 15-20 days

2) Pituitary stage

With each disorder of the endocrine system, there is always a stress to the pituitary feedback systems.

Remedies:

<u>- Endocrinotox No. 6 (Pituitary gland)</u>
<u>- Endocrinotox No. 23 (Regeneration)</u>
<u>- Endotox No. 1 (Circulation)</u>

Dosage: 15 drops of each remedy, 3 times a day Duration of treatment: 15-20 days

3) Thyroid stage

The thyroid is the dominant gland in the basal metabolism. A bioenergy test should be carried out initially in order to establish whether the patient has a hypo- or hyper-thyroid metabolism.

Remedies:

<u>- Endocrinotox No. 10 (Hypothyroid)</u>
 <u>- Endocrinotox No. 11 (Hyperthyroid)</u>
 <u>- Endocrinotox No. 26 (Parathyroids)</u>

Dosage: 15 drops of each remedy, 3 times a day Duration of treatment: 15-20 days

4) Adrenal stage

The adrenal gland is the dominant gland that regulates the effects of stress.

Remedies:

<u>- Endocrinotox No. 9 (Adrenal glands)</u>
<u>- Detox No. 17 (Stress)</u>
- Endocrinotox No. 23 (Regeneration)

Dosage: 15 drops of each remedy, 3 times a day Duration of treatment: 15-20 days

5) 1st gonad stage

The gonads are secondary reaction organs, which are extremely sensitive to the effects of poisoning from heavy metals and chemical products.

Remedies:

- Endocrinotox No. 7 (Male gonad endocrine type)

- Endocrinotox No. 8 (Female gonad endocrine type)

- Detox No. 12 (Environment)

- Detox No. 14 (Maintenance)

Dosage: 15 drops of each remedy, 3 times a day Duration of treatment: 15-20 days

6) 2nd gonad stage

As they are composed of extremely germinative tissue, the gonads are the organs most predisposed to tumours. The solution is to carry out preventive treatment as early as possible.

Remedies:

<u>men</u> - Endocrinotox No. 7 (Male gonad endocrine type) - Endocrinotox No. 21 (Prostate) - Endocrinotox No. 23 (Regeneration)

women

- Endocrinotox No. 8 (Female gonad endocrine type)

- Endocrinotox No. 19 (Uterus)

- Endocrinotox No. 20 (Masto)

Dosage: 15 drops of each remedy, 3 times a day Duration of treatment: 15-20 days

7) Neuroimmune stage

The immune system regenerates the body and should be detoxified from polluting agents.

Remedies:

<u>men</u> - Endocrinotox No. 25 (Neuroimmuno) for children - Endocrinotox No. 24 (Neuroimmune regulation for children) <u>- Endotox No. 14 (Thymus)</u>
<u>- Endocrinotox No. 2 (General male regulation)</u>

<u>women</u> <u>- Endocrinotox No. 25 (Neuroimmuno)</u> <u>- Endotox No. 14 (Thymus)</u> <u>- Endocrinotox No. 3 (General female regulation)</u>

Dosage: 15 drops of each remedy, 3 times a day Duration of treatment: 15-20 days

8) Maintenance therapy

<u>- Detox No. 12 (Environment)</u>
<u>- Endotox No. 1 (Circulation)</u>
<u>- Detox No. 14 (Maintenance)</u>
<u>- Appropriate Endocrinotox remedy for the dominant endocrine type</u>

Dosage: 15 drops of each remedy, 3 times a day Duration of treatment: 3-4 months

At the end of treatment, repeat the cycle or carry out Detox therapy (see the Detox handbook)

DESCRIPTION OF THE REMEDIES

PMS (Premenstrual Syndrome)

Indications:

All premenstrual disorders and related symptoms: irritability, fluid retention, anxiety, depression, emotional stress, hot flashes, hypoglycaemia. The symptoms can start during ovulation and continue up to menstruation.

When a male patient has a positive bioenergy test, this can indicate:

- 1. emotional stress, or
- 2. biorhythm disorders, or
- 3. gonad premalignancy, or
- 4. use of suppressive drugs, or
- 5. overstimulation with stimulants such as coffee, nicotine, alcohol

This remedy can be prescribed for men, particularly when they are suffering from irritability, anxiety or insomnia.

Composition:

Pulsatilla D6/D9 Sepia D6/D9/D12 Salix nigra D2 Corpus luteum 7CH Oestrogen 7CH Hypothalamus 7CH Ammonium carbonicum D6 Nux vomica D9 Sakina D6	Oophorinum D12 Solidago D1 Apis mellifica D4 Viburnum opulus D3 Vespa crabro D4 Natrum muriaticum D6/D9/D12 Fagus sylvatica gemmae D1 Passiflora incarnata TM
Sabina D6	Zincum valerianicum D6

Pulsatilla: Sepia:	emotional disorders, anxiety and irritability hormonal disorders and irregular menstruation,
Salix nigra:	depression homeopathic remedy for irritability, difficult menstrual cycles
Corpus luteum:	hormone regulation
Oestrogen:	hormone regulation
Hypothalamus:	hormone regulation
Ammonium carbonicum:	when the disorders worsen prior to menstruation
Nux vomica:	stress from overstimulation, irritability, stress in
	general, insomnia
Sabina:	back pain prior to and during menstruation
Oophorinum:	regulation of hormones
Solidago:	activation of diuresis, renal drainage
Apis mellifica:	general drainage, ovarian disorders, irritability
Viburnum opulus:	cramps in the uterus and ovaries
Vespa crabro:	premenstrual depression, Hypoglycaemia, water
	retention
Natrum muriaticum:	general depression, suppressed emotions, water
	retention
Fagus sylvatica gemmae:	remedy for the kidneys, oedema, and water retention
Passiflora incarnata:	relaxing remedy, anti-spastic properties
Zincum valerianicum:	relaxing remedy

Posology:

15 drops, 3 times a day, at least several minutes before or after meals. Combine with **Detox No. 17 (Stress)** and **Detox No. 13 (Kidneys)**. In acute situations, administer less drops more frequently – for example, 8 drops every hour. If premenstrual syndrome is expected, take 15 drops 3 times a day as a preventive treatment.

Take the more frequent dosage as soon as the symptoms of PMS begin.

GENERAL MALE REGULATION

Indications:

Regulation of the male neuroendocrine system. Used for disorders such as tiredness, reduced energy levels, chronic infections, fatigue, chronic post-viral syndrome, reduced libido, and prevention of these disorders in old age. It is also effective when taken during stressful situations.

When female patients have a positive bioenergy test result, this can indicate one of the following conditions:

- 1. endocrine or emotional stress, or
- 2. biorhythm disorders, or
- 3. gonad premalignancy, or
- 4. the use of suppressive drugs

Composition:

Ribes nigrum gemmae D1 Sequoia gigantea gemmae D1 Passiflora D1 Arnica 7CH/9CH/12CH Placenta 4CH Hypothalamus 7CH Epiphysis 7CH Cerebrum 7CH Thyreoidea 7CH Prostate 7CH Thymus 7CH Ginkgo biloba D1 Pancreas 7CH Testis 7CH/30CH Testosterone propionate 7CH Glandulae suprarenales 4CH/7CH Adrenal cortex 4CH Nux vomica D9 Acidum hydrofluoricum D9

Ribes nigrum gemmae:	insufficiency of the adrenal glands
Sequoia gigantea gemmae:	prostate, lymphatic circulation,
	regeneration
Passiflora:	anti-spastic, sedative
Arnica:	Stimulation of the connective tissue
Placenta:	hormone regulation and general
	regeneration
Hypothalamus:	hormone regulation and regeneration
Epiphysis:	hormone regulation and regeneration
	under stress
Cerebrum:	regeneration of cerebral tissues
Thyreoidea:	hormone regulation and regeneration,
	connective tissues of the thyroid
Thymus:	immune regulation and regeneration of
	the thymic connective tissues
Ginkgo biloba:	stimulates the brain and peripheral
	circulation
Pancreas:	regenerates the pancreas
Testis:	hormone regulation and regeneration of
	male gonads
Testosterone propionate:	immune regulation and regeneration
Glandulae suprarenales	
and Adrenal cortex:	immune regulation and regeneration of
	the adrenal glands
Nux vomica:	stress regulation
Acidum hydrofluoricum:	regeneration of connective tissue and
	skin
Prostate:	hormone regulation and regeneration

Posology:

15 drops, 3 times a day, at least several minutes before or after meals. For conditions of debility, increase the frequency of posology to 10 drops, 6 times a day.

Combine Detox No. 16 (Regeneration) and Detox No. 4 (Cellular load).

GENERAL FEMALE REGULATION

Indications:

Regulation of the female neuroendocrine system. Effective in the treatment of disorders such as fatigue, poor energy levels, chronic infections, chronic post-viral restlessness syndrome, low libido (in men). Also used to prevent the onset of these disorders in old age.

If male patients have a positive Bioenergy result, this may indicate the following:

- 1. endocrine or emotional stress, or
- 2. biorhythm disorders, or
- 3. gonad premalignancy, or
- 4. the use of suppressive drugs

Composition:

Fraxinus americanus D1 Sequoia gigantea gemmae D1 Humulus lupulus D1 Placenta 4CH Hypothalamus 7CH Thyreoidea 7CH Thymus 4CH Splen 7CH Ovarium 7CH Progesteron 7CH Oestrogen 7CH Insulin 7CH Glandulae suprarenales 7CH Pulsatilla D12 Sepia D9/D12 Acidum hydrofluoricum D9 Uterus 7CH Conium D9/D12

Fraxinus americanus:	lymphatic circulation in the gonads and ovaries
Sequoia gigantea gemmae:	lymphatic circulation and regeneration of
	gonads and ovaries
Humulus lupulus:	relaxation
Placenta:	hormone regulation and regeneration
Hypothalamus:	hormone regulation and regeneration
Glandula thyreoidea:	metabolic regulation and regeneration
Thymus:	immuno-hormonal regulation and regeneration
Splen:	regeneration of the spleen
Ovarium:	regeneration of the ovaries
Progesteron:	hormone regulation and regeneration
Oestrogen:	hormone regulation and regeneration
Glandulae suprarenales:	regulation and regeneration of the adrenal glands
Insulin:	regulation of the metabolism of sugar
Pulsatilla:	emotional and neuro-hormonal effects
Sepia:	hormone regulation
Acidum hydrofluoricum:	regeneration of the connective tissue and skin
Uterus:	regeneration of the uterus
Conium:	prophylaxis of malignancies in the breasts and
	uterus

Posology:

15 drops, 3 times a day, at least several minutes before or after meals. Combine with **Endotox No. 14 (Thymus)** and **Endocrinotox No. 18 (Uterus)**.

LEFT OVARY

Indications:

All disorders of the left half of the body, as well as inflammatory pains or disorders of the left ovary and general neuroendocrine regulation disorders.

If the test is positive for male patients, this indicates the following:

- 1. endocrine or emotional stress, or
- 2. biorhythm disorders, or
- 3. gonad premalignancy, or
- 4. the use of suppressive drugs, or
- 5. problems in the left part of the body

Composition:

Glycyrrhiza glabra TM Capsicum annum TM/D6 Hydrastis D1 Placenta 4CH Hypothalamus 7CH Hypophysis 7CH Thyreoidea 7CH Splen 7CH Ovarium 7CH Viscum album D1 Oestrogen 7CH Conium D9/D12 Argentum metallicum D12 Thuja occidentalis D3 Lachesis D9/D12/D15 Medorrhinum 9CH Naja tripudians D9 Platinum metallicum D12 Progesteron 7CH

Glycyrrhiza glabra:	effective for hormone regulation and the metabolism of sugars, in general
Capsicum annum:	for pain and hypersensitivity
Hydrastis:	effective on the immune system,
2	antiseptic
Placenta:	regeneration of all tissues
Hypothalamus:	hormone regulation and general
	regeneration
Hypophysis:	hormone regulation and regeneration
Thyreoidea:	hormone regulation and regeneration of
	the thyroid
Splen:	regeneration of the spleen
Ovarium:	hormone regulation and regeneration of
	ovaries
Progesteron:	hormone regulation and regeneration
Oestrogen:	hormone regulation and regeneration
Conium:	effective in the treatment of all tumours
	and premalignancies in women
Argentum metallicum:	pain in the left ovary
Vespa crabro:	irritation of the left ovary
Thuja occidentalis:	pain in the left ovary
Lachesis:	homeopathic remedy for the left side
Medorrhinum:	increasing pain in the left ovary
Naja tripudians:	neuralgia of the left ovary
Platinum metallicum:	general endocrine regulation
Viscum album:	general action on the immune system,
	also effective for the treatment of
	tumours

Posology:

15 drops, 3 times a day, at least several minutes before or after meals. Combine with **Endocrinotox No. 3 (general female regulation)**. For Premenstrual Syndrome: **Endocrinotox No. 1 (PMS)**. For stress: **Detox No. 17 (Stress)**

RIGHT OVARY

Indications:

All disorders affecting the right side of the body and/or the right ovary, as well as pain and inflammation. General neuroendocrine regulation disorders as well.

If a male patient has a positive bioenergy test, this indicates the following:

- 1. emotional or endocrine stress, or
- 2. biorhythm disorders, or
- 3. gonad premalignancies, or
- 4. the use of suppressive drugs, or
- 5. problems with the right side of the body

Composition:

Capsicum annuum TM Echinacea angustifolia TM Chelidonium D1 Hypothalamus 7CH Hypophysis 7CH Thyreoidea 7CH Placenta 4CH Hepar 7CH Ovarium 7CH Progesteron 7CH Argentum nitricum D9 Conium D9/D12 Zincum valerianicum D6 Apis mellifica D4/D6/D9/D12 Hedeoma D4 Lycopodium D4/D6/D9 Palladium D12 Sepia D4 Pulsatilla D6 Lilium tigrinum D3 Oestrogen 7CH

Capsicum annuum:	for pain and hypersensitivity
Echinacea angustifolia	acts on the immune system
Chelidonium:	acts on the liver and on the right side of the body
Hypothalamus:	hormone regulation and regeneration
Hypophysis:	hormone regulation and regeneration
Glandula thyreoidea:	hormone regulation and regeneration of the metabolism
Placenta:	regeneration of all tissues
Hepar:	dominant organ of the right side
Ovarium:	hormone regulation and regeneration of
Des es etcasa	the menstrual cycle
Progesteron:	hormone regulation and regeneration
Oestrogen:	hormone regulation and regeneration of
	the menstrual cycle
Conium:	preventive action against
	premalignancies and benign tumours
Zincum valerianicum:	calming action for stress and spasms
Apis mellifica:	acts on the right ovary and the right side
	of the body and on water retention
Hedeoma:	acts on the ovaries
Lycopodium:	acts on the liver and the right side of the body, detoxification
Palladium:	irritation of the right ovary
Sepia:	hormone regulation and regeneration of
Sepia.	the menstrual cycle
Pulsatilla:	hormone regulation and regeneration of
i uisauma.	the menstrual cycle
Lilium tigrinum:	action on the neuroendocrine system
Argentum nitricum:	action on the metabolism of sugars

Posology:

15 drops, 3 times a day, at least several minutes before or after meals. Combine with **Endocrinotox No. 3** (|General female regulation). If inflammation occurs add: **Detox No. 8** (Immune power). For Premenstrual Syndrome: **Endocrinotox No. 1** (PMS). For stress: **Detox No. 17** (Stress).

PITUITARY GLAND

Indications:

Stress to the neuroendocrine system: we can always find evidence of stress to the regulatory systems of the pituitary gland and the Hypothalamus. This remedy is indicated in the treatment of all neuroendocrine disorders, as well as the pituitary endocrine type. The therapy should last at least three months so as to obtain a regenerative effect on the glands. The pituitary gland plays a dominant role in the pituitary endocrine type. One can see that their build resembles that of a child. The head is usually larger than normal and there is an accumulation of fat all over the body.

They generally prefer dairy products and fruit. This endocrine type is particularly sensitive to stress, is easily distracted, has a tendency towards irritability and is susceptible to allergies. The various endocrine types are often confused as it is difficult to identify the exact constitutional symptoms. However, it is generally easy to recognise this particular endocrine type.

Other indications include:

General disorders or dysfunctions of the neuroendocrine system – it can be used for all endocrine types to help regulate the endocrine system.

Composition:

Aesculus hippocast. Gemmae D1 Pinus sylvestris D1

Aloe D1 Hypophysis 4CH/7CH/9CH/12/CH/15CH Thyreoidea 7CH Hypothalamus 7CH Barium muriaticum D4 Ammonium muriaticum D4 Pancreas 7CH Antimonium crudum D8 Calcium carbonicum D9/D12/D15/D30 Carbo vegetabilis D9 Cina D3 Kreosotum D6 Lac caninum D6/D9/D12 Pulsatilla D12 Sepia D9/D12/D30 Hepar 7CH

Aesculus hippocast. gemmae:	effective treatment for depression and irritability
Pinus sylvestris:	general drainage of the lymph
Aloe:	acts on the lymphatic circulation
Hypophysis:	regeneration of the pituitary
	gland
Thyreoidea:	basal metabolism
Hypothalamus:	correlation with the pituitary
51	gland
Barium muriaticum:	acts on hormone synthesis
Ammonium muriaticum:	poor functioning of the pituitary
	gland
Antimonium crudum:	tendency towards obesity
Calcium carbonicum:	Pituitary constitution
Carbo vegetabilis:	Pituitary constitution
Cina:	scrofulous type
Kreosotum:	acts on endocrine regulation in
	general
Lac caninum:	according to INTEGRA, acts on
	the pituitary gland and
	Hypothalamus
Pulsatilla:	Pituitary constitution
Sepia:	regulation of the endocrine
•	system in general
Pancreas:	regeneration of the pancreas
Hepar:	regeneration of the liver
-	-

Posology:

15 drops, 3 times a day, several minutes before or after meals.

10 drops should also be taken before bedtime (this remedy is more effective at nighttime).

Combine with Endocrinotox No. 2 (general male regulation) or Endocrinotox No. 3 (general female regulation).

ENDOCRINOTOX No. 7 DISCONADENDOCRINE TYPE

Indications:

All the symptoms connected with male gonad function such as virility, libido, energy levels and emotional stress.

It is also indicated in the treatment of fibromas, tumours, gonad cysts, and hypertrophy of the prostate. Other characteristics are outlined in the description of the Gonad Endocrine type. Constitutional therapy should be administered for at least three months. This type is more common in women and is more difficult to identify in men. Testosterone plays a key role. This endocrine type display increased fat around the hips and very little fat on the upper body. Their energy curve is stable and remains at even levels throughout the day. They easily become irritable when under stress.

If female patients have a positive test result, this indicates:

- 1. endocrine or emotional stress, or
- 2. biorhythm disorders, or
- 3. gonad premalignancy, or
- 4. the use of suppressive drugs, or
- 5. problems with fibromas in the uterus and breasts.

Composition:

Aurum natronatum muriaticum D4/D9/D12	Conium D6/D9/D12
Antimonium crudum D8	Nux vomica
	D6/D9/D12
Apis mellifica D6	Ribes nigrum D1
Sequoia gigantea gemmae D1	Testosterone
	propionate 7CH
Populus tremuloides D1	Testis 7CH
Sabal serrulata D1	Hypophysis 7CH
Lachesis D9	Thyreoidea 7CH
Crataegus oxyacantha gemmae D1	Castor equi D4
Agnus castus D2	Passiflora incarnata
	TM

Glycyrrhiza glabra TM

Pharmacological notes:

Aurum natronatum muriaticum:	Hypertrophy of the prostate, arteriosclerosis
Antimonium crudum:	tendency towards obesity
Apis mellifica:	effective for the kidneys and adrenal glands
Sequoia gigantea gemmae:	lymphatic drainage of the pelvic area
Populus tremuloides:	effective on benign tumours and the prostate
Sabal serrulata:	effective on the urogenital organs
Lachesis:	effective on the neuroendocrine system
Castor equi:	acts on hormone regulation
Agnus castus:	libido and energy levels
Chimaphila umbellata:	lymphatic drainage, gonads and prostate
Conium:	acts on premalignancies and soft tissue traumatic incidents
Nux vomica:	anti-stress remedy
Ribes nigrum:	regeneration and stimulation of
	the adrenal glands, lymphatic drainage
Testosterone propionate:	regulation of male hormones
Testis:	regulation of the gonads
Hypophysis:	neuroendocrine regulation
Thyreoidea:	metabolism
Crataegus oxyacantha gemmae:	stimulates the circulation
Passiflora incarnate:	sedative and calming effect
Glycyrrhiza glabra:	acts on Hypoglycaemia and the pancreas
	L

Posology:

15 drops, 3 times a day, several minutes before or after meals.

10 drops should also be taken before bedtime (its regulatory activity is at its most effective at night).

Combine with Endocrinotox No. 2 (General male regulation) and Endocrinotox No. 21 (Prostate).

FEMALE GONAD ENDOCRINE TYPE

Indications:

All disorders of the female endocrine system, such as libido, energy levels and emotional stress.

It is also effective for fibrosis, tumours, gonad cysts, myomas of the uterus and premalignancy. The therapy should also last at least three months for the gonad endocrine type. This endocrine type can easily be identified in women. The gonads (ovaries) play a dominant role. They have increased fat around the hips and very little fat on the upper body. They prefer fatty, creamy, and strongly-flavoured foods or salads and fruit. Their energy curve is stable and remains at even levels throughout the day. They become a little irritable when under stress.

A positive bioenergy test result for men indicates the following:

- 1. endocrine or emotional stress, or
- 2. biorhythm disorders, or
- 3. gonad premalignancy, or
- 4. the use of suppressive drugs, or
- 5. prostate problems (benign or malignant)

Composition:

Aurum natronatum muriaticum D4/D9/D12	Cimicifuga D3
Antimonium crudum D8	Palladium metallicum
	D9
Apis mellifica D6	Lilium tigrinum D3
Sequoia gigantea gemmae D1	Helonias dioica D4
Lachesis D6	Sepia D9/D12/D30
Castor equi D4	Hieracium pilosella
	ТМ
Conium D6/D9/D12	Hypophysis 7CH
Ribes nigrum gemmae D1	Thyreoidea 7CH
Fucus vesiculosus D1	Ovarium 7CH
Caulophyllum D3	Uterus 7CH

Aurum natronatum muriaticum:	Myomas of the uterus, arteriosclerosis
Antimonium crudum:	tendency towards obesity
Apis mellifica:	active on kidneys, adrenal glands and
	right ovary
Sequoia gigantea gemmae:	lymphatic drainage of the pelvic area
Lachesis:	active on the neuroendocrine system
	and the left ovary
Castor equi:	acts on the hormone system
Conium:	Premalignancy and traumas of the
	gonads and breasts
Ribes nigrum gemmae:	regeneration of the adrenal glands,
	stress
Fucus vesiculosus:	regulation of the metabolism of fats
Caulophyllum:	active on the uterus
Cimicifuga:	neuroendocrine regulation
Palladium metallicum:	neuroendocrine regulation
Lilium tigrinum:	active on the uterus
Helonias dioica:	lymphatic drainage of the pelvic area
Sepia:	neuroendocrine regulation
Hieracium pilosella:	drainage of the kidneys
Hypophysis:	neuroendocrine regulation
Thyreoidea:	metabolism
Ovarium:	neuroendocrine regulation
Uterus:	regeneration of the uterus

Posology:

10 drops, 3 times a day, several minutes before or after meals. 10 drops before bedtime (it is more effective during sleep). Combine with **Endocrinotox No. 2 (General female regulation)** and other female remedies required by the therapeutic guidelines.

ADRENAL GLANDS

Indications:

It is indicated in the treatment of all adrenal insufficiencies and as a support therapy for treatment with steroids and insulin (allopathic prescriptions with suppressive effects). It is also suitable for heavy physical activity, sport, chronic and acute stress, chronic and acute diseases, depression and allopathic therapies.

It is indicated for adrenal endocrine types (in this case, prescribe a minimum treatment period of 4-6 months).

The adrenal glands need a long time to regenerate themselves. They play a dominant role in hormone balance. Anyone classified as an "adrenal" endocrine type has a muscular and strong build, with a tendency towards a "beer belly". They prefer meat, potatoes and eggs. They are extremely sensitive to stress and irritable. When under stress they have a great need for dairy products. They are predisposed to heart disorders and diabetes.

Composition:

Agnus castus D2 Adrenalinum D6/D12 Arnica D1 Conium D12 Nux vomica D6/D9/D12 Kalium phosphoricum D6/D12 Guarana D2 Strontium carbonicum D9 Glandula suprarenalis 7CH Glycyrrhiza glabra D1 Ginseng D1 Eleutherococcus TM Quercus pedunculata gemmae D1 Ribes nigrum gemmae D1 Testosterone propionate 7CH Crataegus oxyacantha gemmae D1 Tilia tomentosa gemmae D1 Chininum arsenicosum D6/D9

Agnus castus:	libido and energy levels
Adrenalinum:	stress to the adrenal glands
Ribes nigrum gemmae:	regeneration of the adrenal gland
Testosterone propionate:	general neuroendocrine regulation
Crataegus oxyacantha gemmae:	circulation and stress to the heart
Glycyrrhiza glabra:	Hypoglycaemia and stress to the liver
Arnica:	for acute stress, trauma or severe physical stress
Conium:	chronic fatigue, adrenal endocrine type
Nux vomica:	adrenal constitution
Ginseng:	adrenal insufficiency
Eleutherococcus:	adrenal insufficiency
Quercus pedunculata gemmae:	adrenal insufficiency
Kalium phosphoricum:	adrenal insufficiency which often leads to viral
	infections
Guarana:	adrenal insufficiency
Strontium carbonicum:	post-operative shock and stress, adrenal
	insufficiency
Tilia tomentosa gemmae:	adrenal insufficiency
Glandula suprarenalis:	adrenal insufficiency
Chininum arsenicosum:	adrenal insufficiency

Posology:

15 drops, 3 times a day, several minutes before or after meals. Combine with **Detox No. 17 (Stress)** and **Endotox No. 14 (Thymus)**. For tiredness and when a energy boost is needed, increase the dose to 10 drops every hour.

HYPOTHYROID

Indications:

All disorders due to subclinical weakness of the thyroid.

It is also suitable for feelings of cold, hypotension, scanty or missed menstruation. Overwhelming need for sleep, intolerance to cold, susceptibility to contracting colds, tendency towards lethargy, fatigue, obesity and nervous exhaustion.

It is also effective for use with thyroid endocrine types.

The thyroid plays a dominant role in this endocrine type. They are usually tall, with long limbs and fat around the middle of the body. They generally prefer proteins, sugar and caffeine. This endocrine type are able to work extemely intensely for long periods of time, then periods of fatigue take over. Under stress, they tend to become irritable and prefer bread and eggs.

They have a predisposition towards influenza, colitis and allergies.

Composition:

Fucus vesiculosus TM Iodum D4 Calcium Iodatum D4/D6/D9 Calcium silicicum D9/D12 Alfalfa (Medicago Sativa) TM Alnus glutinosa gemmae D1

Alumen D8 Avena sativa TM Ammonium carbonicum D6 Badiaga D2 Spongia D2 Graphites D9 Calcium carbonicum D12 Kalium carbonicum D12 Solidago virgaurea D1 Crataegus oxyacantha gemmae D1 Digitalis D9 Convallaria majalis D4 Thyreoidea 4CH Hieracium pilosella TM

Fucus vesiculosus: Iodum:	regulation of the thyroid Hypofunction of the thyroid and pituitary gland
Calcium Iodatum:	regulation of the thyroid
Calcium silicicum:	regulation of the thyroid
Alfalfa (Medicago Sativa):	for fatigue and slowed metabolism
Alnus glutinosa gemmae:	struma
Alumen:	hardening of the lymph glands
Avena sativa:	neuro-activation and stimulation
Ammonium carbonicum:	general weakness and slowed
	metabolism
Badiaga:	regulation of the thyroid
Spongia:	regulation of the thyroid
Graphites:	regulation of the thyroid
Calcium carbonicum:	Hypofunction of the thyroid and pituitary gland
Kalium carbonicum:	Hypofunction of the thyroid and pituitary
	gland
Solidago virgaurea:	drainage of the kidneys
Crataegus oxyacantha gemmae:	circulation
Digitalis:	stimulation of the heart
Convallaria majalis;	activator of the heart and thyroid
Thyreoidea:	Hypofunction of the thyroid and pituitary gland
Hieracium pilosella:	drainage of the kidneys

Posology:

15 drops, 3 times a day, several minutes before or after meals. Combine with **Endotox No. 8 (Hypometabolic)** and **Endocrinotox No. 6 (Pituitary gland)**.

HYPERTHYROID

Indications:

All disorders due to subclinical hyperfunctions of the thyroid. It is also suitable for accelerated metabolism, Hypertension, Hyperhidrosis, diarrhoea, insomnia, intolerance to heat, allergies and nervous overstimulation.

It is also indicated for thyroid endocrine types. The thyroid also plays a dominant role in this endocrine type. They are generally tall with long limbs and are extremely thin. They have a good appetite and prefer proteins, sugar and coffee. This endocrine type can work intensely for long periods of time, then they have periods of fatigue. Under stress, they have a tendency to become irritable and prefer bread and eggs. They are sensitive to cold and have a predisposition towards influenza, colitis and allergies.

Composition:

Iodum D12/D30 Ficus carica gemmae D1 Passiflora incarnata TM Arsenum iodatum D9 Calcium fluoratum D12 Fucus vesiculosus D15 Badiaga D12/D15 Spongia D15 Kalium carbonicum D6 Thyreoidea D15/D30 Pilocarpus D4 Nux vomica D12 Humulus lupulus TM Bromum D9 Anacardium D9 Phosphorus D12 Ignatia D4 Zincum valerianicum D5

Iodum:	General effect on the thyroid metabolism
Ficus carica gemmae:	general calming effect
Passiflora incarnata:	general calming effect
Arsenum iodatum:	hyperfunction of the thyroid
Calcium fluoratum:	hardening of the thyroid gland and the lymph
	glands
Fucus vesiculosus:	at this potency, it has a calming effect on the
	metabolism
Badiaga:	calming effect on the metabolism
Spongia:	calming effect on the metabolism
Kalium carbonicum:	profound effect on thyroid disorders
Thyreoidea:	calming effect on the metabolism
Pilocarpus:	Hyperthyroidism
Nux vomica:	nervous overload
Humulus lupulus:	calming effect on the metabolism
Bromum:	general neuroendocrine regulation
Anacardium:	neurasthenia
Phosphorus:	acts on the liver and neuroendocrine regulation
Ignatia:	nervous depression
Zincum valerianicum:	excessive stimulation and insomnia

Posology:

10 drops, 3 times a day, several minutes before or after meals. 10 drops before bedtime (more effective). Combine with Endocrinotox No. 3 and No. 2 (general male and female regulation) and Endotox No. 7 (Hypermetabolic).

ENDOCRINOTOX DISCONTINUED CYCLOSHORT

Indications:

Remedy for women who present with too short a cycle and other menstrual disorders at the anamnesis.

This remedy is therapeutically effective on the neuroendocrine system in general. A bioenergy test illustrated that this remedy can also be effective in treating a large number of other disorders which may or may not be directly related to the menstrual cycle. In cases where this remedy proves suitable for men or women with symptoms that do not relate to the remedy, the cause is biological clock or biorhythm disorders. This means that the remedy can also be effective for treating men in this situation.

Composition:

Asarum europea D2 Arsenicum album D9 Aletris farinosa D3 Arundo D3 Baptisia D3 Bromum D9 Carbo vegetabilis D8 Coccus cacti D4 Ferrum metallicum D9 Helonias dioica D4 Magnesium sulphuricum D6 Natrum phosphoricum D9 Acidum muriaticum D6 Bufo D9 Hypophysis 7CH Ovarium 7CH Sepia D12 Zincum valerianicum D6 Vinca minor D1 China regia (Cinchona officinalis) D4

Asarum europea: Arsenicum album:	premature menstruation with fluor albus regulation of the biological clock
Aletris farinosa:	acts on the pituitary gland, menstruation and asthenia
Arundo:	premature menstruation
Baptisia:	infections and premature menstruation, mental stress
Bromum:	neuroendocrine regulation
Carbo vegetabilis:	acts on the pituitary gland and the ovaries
Coccus cacti:	urogenital disorders and premature menstruation
Ferrum metallicum:	short cycle with general weakness
Helonias dioica:	nervous dysregulation of the biological clock
Magnesium sulphuricum:	irregular menstruation
Natrum phosphoricum:	infertility, short cycle
Acidum muriaticum:	fatigue and asthenia in a short cycle
Bufo:	neuroendocrine regulation
Hypophysis:	neuroendocrine regulation
Ovarium:	neuroendocrine regulation
Sepia:	neuroendocrine regulation
Zincum valerianicum:	irritability due to a short cycle
Vinca minor:	short cycle
China regia (Cinchona officinalis):	debilitated states

Posology:

10 drops, 3 times a day, several minutes before or after meals.
10 drops before bedtime (more effective).
Combine with Endocrinotox No. 14 (Cycloregular) and Endocrinotox No. 11 (Hyperthyroid)

CYCLOMETRO

Indications:

For heavy menstruation and other menstrual disorders.

It has a therapeutic effect on the entire neuroendocrine system.

Bioenergy tests show that this remedy can also be effective in the treatment of other disorders, not necessarily linked to the symptoms of heavy menstruation.

When this occurs it is due to biological clock or biorhythm disorders. This means that the remedy can also be used to treat men in this situation.

It is also indicated in the treatment of coagulation defects or plateletopenia.

Composition:

Thlaspi bursa pastoris TM Fraxinus Americana D1

Momordica balsamina 1CH Vinca minor D1 Citrus vulgaris gemmae D1 Millefolium TM Crocus sativa D2 Geranium maculatum D1 Glycyrrhiza glabra D1 Glycerinum D4 Sequoia gigantea gemmae D1 Carbo vegetabilis D8 Cinnamomum D4 Ferrum metallicum D9 Hypophysis 7CH Splen 7CH Sepia D12 Lilium tigrinum D4

Thlaspi bursa pastoris: Fraxinus Americana: Momordica balsamina: Vinca minor: Citrus vulgaris gemmae: Millefolium: Crocus sativa: Geranium maculatum: Glycerinum: Sequoia gigantea gemmae; Carbo vegetabilis: Cinnamomum: Ferrum metallicum: Hypophysis: Splen: Sepia: Glycyrrhiza glabra: Lilium tigrinum:

when someone is bleeding heavily drainage of the spleen heavy menstruation with back pain passive hemorrhage of the uterus clotting bleeding and clotting defects bleeding and clotting defects hemorrhages long-lasting menstruation drainage of the pelvic area acts on the muscles of the uterus bleeding and clotting defects bleeding and clotting defects neuroendocrine disorders regeneration of the spleen neuroendocrine disorders Hypoglycaemia and stress of the liver acts on the uterus

Posology:

10 drops, 3 times a day, several minutes before or after meals.
10 drops before bedtime.
In acute stages: 10 drops every half an hour.
Combine with Endocrinotox No. 25 (Neuroimmuno) and Endocrinotox No. 19 (uterus).

CYCLOREGULAR

Indications:

Irregular menstruation and other disorders of the menstrual cycle. It has a therapeutic effect on the neuroendocrine system. The bioenergy test illustrates how this remedy can also be effective for many other disorders, not necessarily connected to the symptoms of heavy menstruation. When this occurs, they are usually biological clock and biorhythm disorders. In this case the remedy can be effective for treating men as well. It is also indicated in the treatment of emotional stress.

Composition:

Passiflora incarnata TM Lac caninum D6/D9/D12 Nux moschata D9 Nux vomica D9 Physostigma venenosum D6 Sepia D6/D9/D12/D30 Tuberculinum 9CH Hypophysis 7CH/20CH Thyreoidea 7CH Ovarium 7CH/30CH Melaninum 7CH Phosphorus D10/D15 Pulsatilla D6/D9/D12/D15 Zincum valerianicum D6

Passiflora incarnate:	calming, acts against stress
Lac caninum:	irregular cycle
Nux moschata:	irregular cycle, caused by stress
Nux vomica:	irregular cycle, caused by stress
Physostigma venenosum:	irregular menstruation with palpitations and irritability
Sepia:	stress caused by irregular cycle
Tuberculinum:	irregular menstruation and delayed puberty
Hypophysis:	regulation of the neuroendocrine system
Thyreoidea:	general metabolism
Ovarium:	disorders due to dysfunction of the
	ovaries
Melaninum:	effective regulator of biorhythm, acts
	against depression and disorders
	affecting anyone who rapidly changes
	time zone
Phosphorus:	irregularity due to nervous
1	overstimulation of the liver
Pulsatilla:	irregularity due to nervous
	overstimulation and emotional stress
Zincum valerianicum:	irregularity due to nervous
	overstimulation and anxiety
	o vero unitatation and anniory

Posology:

10 drops, 3 times a day, several minutes before or after meals. 10 drops before bedtime.

Combine with **Detox No. 17 (Stress)** and **Endocrinotox No. 6 (Pituitary gland)**.

CYCLOSTIM

Indications:

Effective on short cycles or scanty menstruation. It is also suitable when the menstrual cycle has been suppressed.

It has a therapeutic effect on the whole neuroendocrine system. The bioenergy test illustrates how this remedy can also be effective for many other disorders, not necessarily connected to symptoms from the absence of menstruation. When this occurs it indicates that there are disorders of the biological clock and biorhythm due to allopathic and emotional suppression of the endocrine system. This also means that the remedy can be extremely effective for treating men.

Composition:

Arnica D1 Dulcamara D3 Hypophysis 4CH Ovarium 4CH Oestrogen 7CH Progesteron 7CH Testosterone propionate 12CH Lilium tigrinum D4 Crotalus Horridus D6 Glycyrrhiza glabra D1 Castoreum D9 Mangifera indica D2 Cimex lecturalis D9 Mercurialis D9 Polygonum D6 Pulsatilla D9/D12/D30 Phosphorus D12 Ferrum Iodatum D9 Natrum muriaticum D9/D12/D30

Polygonum:pituitary glandPulsatilla:amenorrhoea caused by ovarian dysfunctionPhosphorus:amenorrhoea caused by emotional stress		
Ferrum Iodatum:amenorrhoea caused by biorhythm disordersNatrum muriaticum:amenorrhoea caused by emotional stressDulcamara:amenorrhoea caused by adrenal dysfunctionsHypophysis:neuroendocrine regulationOvarium:ovarian dysfunctionsOestrogen:amenorrhoea caused by hormonal disordersProgesteron:amenorrhoea caused by hormonal disordersTestosterone propionate:amenorrhoea caused by hormonal disordersLilium tigrinum:acts on the uterusCrotalus Horridus:neuroendocrine regulation of the pituitary glandGlycyrrhiza glabra:Hypoglycaemia and stress of the liver	amenorrhoea caused atum: atum: amenorrhoea caused atum: amenorrhoea caused amenorrhoea caused amenorrhoea caused amenorrhoea caused s: neuroendocrine reg ovarian dysfunction amenorrhoea caused amenorrhoea caused amenorrhoe	d by emotional stress d by overstimulation d by biorhythm disorders d by emotional stress d by adrenal dysfunctions ulation ns d by hormonal disorders d by hormonal disorders d by hormonal disorders sulation of the pituitary gland

Posology:

10 drops, 3 times a day, several minutes before or after meals. 10 drops before bedtime. Combine with **Endocrinotox No. 3 (general female regulation)** and

Endocrinotox No. 10 (Hypothyroid).

CYCLOPRECLIM

Indications:

Going into the menopause or cycle problems during the menopause can cause symptoms such as widespread sweating, hot flashes, irritability, anxiety, and irregular or no menstruation.

This remedy has a therapeutic effect on the whole neuroendocrine system. The bioenergy test illustrates how this remedy can also be effective for many other disorders, not necessarily connected to menopausal symptoms.

When this occurs, it is as a result of biological clock (the period in which the organs are active according the theories of acupuncture) and biorhythm disorders. In particular this is linked to the disorders caused by aging.

This means that the remedy is also effective for treating men.

Composition:

Gingko biloba TM Hamamelis TM Capsicum D4 Ovarium D8 Trillium pendulum D3 Sepia D3/D6/D9/D12/D15

Lachesis D6/D9/D15

Pulsatilla D4/D9 Sumbulus moschatus D4 Thlaspi bursa pastoris TM Physostigma venenosum D6 Argentum nitricum D6 Carcinominum D9/D12/D15 Conium D6 Placenta 4CH Aurum natronatum muriaticum D6 Testosterone propionate 7CH Progesteron 7CH Hypophysis cerebri 4CH Oophorinum D7

Gingko biloba: Hamamelis: Capsicum: Ovarium: Trillium pendulum: Sepia: Lachesis: Pulsatilla:

Sumbulus moschatus: Hypophysis cerebri: Thlaspi bursa pastoris: Physostigma venenosum:

Argentum nitricum: Carcinominum: Conium: Placenta: Aurum natronatum muriaticum: Testosterone propionate Progesteron: cerebral circulation and arteriosclerosis venous circulation and varicose veins climacterium, menopause ovarian dysfunctions climacterium, menopause neuroendocrine regulation climacterium, menopause climacterium due to irritability and emotional stress climacterium and irregular menstruation neuroendocrine regulation climacterium with heavy losses irregular menstruation during climacterium Hypoglycaemia prevention of premalignancies prevention of mammary malignancies regeneration and general rejuvenation prevention of fibromas of the uterus often indicated for hot flashes often indicated for climacterium disorders reduction in ovarian function during the menopause

Oophorinum:

Posology:

10 drops, 4 times a day, several minutes before or after meals.10 drops before bedtime.Combine with Endocrinotox No. 3 (General female regulation) and

Endocrinotox No. 23 (Regeneration).

CYCLOCLIM

Indications:

For menopausal and menstrual cycle disorders.

This remedy may also be indicated when there are no menopausal symptoms such as: widespread sweating, hot flashes, irritability, anxiety, irregular or no menstruation.

This remedy has a therapeutic effect on the whole neuroendocrine axis.

The bioenergy test illustrates how this remedy can also be effective for many other disorders, not necessarily connected to menopausal symptoms. When this is the case, it is as a result of biological clock (the period in which the organs are active according the theories of acupuncture) and biorhythm disorders. In particular this is linked to the disorders caused by aging.

In many cases this remedy can also be an extremely effective treatment for men.

It is indicated in the treatment of premature aging, stress and biological clock disorders.

Composition:

Sequoia gigantea gemmae D1 Fraxinus americana D1 Acidum boricum D5 Manganum aceticum D6 Hepar sulphuris D8 Oophorinum D4 Sumbul D3 Amylium nitrosum D6 Sepia D3/D6/D9/D12 Lachesis D6/D9/D12 Ovarium 4CH Thyreoidea 7CH Calcium Iodatum D9 Testosterone propionate 4CH Kreosotum D4 Lac caninum D6/D9/D12 Magnesium carbonicum D8

Pharmacological notes:

Sequoia gigantea gemmae:

Fraxinus Americana:

Acidum boricum: Manganum aceticum: Hepar sulphuris: Oophorinum:

Sumbul: Kreosotum: Lac caninum:

Magnesium carbonicum:

Amylium nitrosum:

Sepia: Lachesis:

Ovarium:

Thyreoidea:

Calcium Iodatum: Testosterone propionate: Progesteron: Oestrogen: Sanguinaria: Progesteron 7CH Oestrogen 7CH Sanguinaria D4

lymphatic drainage of the adrenal glands and pelvic area lymphatic drainage of the adrenal glands and pelvic area climacterium flushes climacterium flushes neuroimmunological stimulation reduction in ovarian function during the menopause acts on the uterus and ovaries neuroendocrine regulation acts on depression during climacterium drainage of the uterus and pelvic area hot flashes, hyperhidrosis, headaches during the menopause neuroendocrine regulation acts on depression during climacterium general regeneration and ovarian dysfunction metabolism and prevention of tumours hot flashes during climacterium neuroendocrine regulation neuroendocrine regulation neuroendocrine regulation hot flashes, climacterium, headaches (particularly on the right side)

Posology:

10 drops, 4 times a day, several minutes before or after meals. 10 drops before bedtime.

Combine with Endocrinotox No. 3 (General female regulation) and Endocrinotox No. 23 (Regeneration).

CYCLODYSMENO

Indications:

For all pain before or during menstruation, cramps, feelings of bloatedness in the stomach.

It is also an effective treatment for other disorders such as stress, pain and tension.

It is effective for men who present with stress, pain, hemicrania, flatulence and other symptoms. It is also indicated in the treatment of asthma and anxiety.

Composition:

Caulophyllum D1 Camomile TM Viburnum opulus TM Apis mellifica D6/D9/D12 Apium graveolens D1 Cactus 3CH Collinsonia Canadensis D4 Cerium oxalaceticum D6 Glycyrrhiza glabra D1 Crotalus horridus D9/D12 Cuprum metallicum D10/D12/D15 Magnesium phosphoricum D8/D10 Melilotus officinalis D1 Secale cornutum D4 Lilium tigrinum D4 Cocculus D4 Colocynthis D6

Caulophyllum:	painful menstruation with cramps
Camomile:	sensitivity to pain
Viburnum opulus:	dysmenorrhoea
Apis mellifica:	right ovarian region
Apium graveolens:	pain with water retention
Cactus:	pain with emotional stress
Collinsonia Canadensis:	cramps before and after menstruation
Cocculus:	extremely violent cramps with bleeding
Cerium oxalaceticum:	neuroendocrine effect on the thalamus and
	hypothalamus
Cuprum metallicum:	cramps and spasms
Colocynthis:	Sudden cramps, colic that improves with
	warmth and pressure
Crotalus horridus:	neuroendocrine regulation of the pituitary gland
Magnesium phosphoricum:	cramps
Melilotus officinalis:	sedative for spasms
Secale cornutum:	cramps
Lilium tigrinum:	acts on the uterus
Glycyrrhiza glabra:	Hypoglycaemia and stress of the liver

Posology:

10 drops, 4 times a day, several minutes before or after meals.
10 drops before bedtime.
5 drops every hour if the patient has extremely violent cramps.
Combine with Detox No. 17 (Stress) and Detox No. 4 (Cellular load).

UTERUS

Indications:

For all disorders of the uterus: fibromas, dysplasia, premalignancy, infections, spasms, endometriosis and pelvic pain.

Composition:

Fraxinus americanus D1 Gossypium herbaceum D1 Solidago D1 Aurum natronatum muriaticum D6/D8/D10 Calcium arsenicosum D8 Calcium Iodatum D8/D12 Carcinominum D12/D15/D30 Cholesterinum D8 Graphites D8 Calcium silico-fluoratum (Lapis albus) D8 Thyreoidinum 7CH Thiosinaminum D4 Bufo D9

Sequoia gigantea gemmae D1 Thuja D2 Sepia D6 Conium D6/D9/D12 Phytolacca D6 Silicea D10

Uterus 12CH/15CH/30CH

Fraxinus americanus:	drainage of the spleen and pelvic area
Gossypium herbaceum:	lymphatic drainage of the adrenal glands and
	infections in the lower pelvis
Solidago:	general drainage of the kidneys and lymph
Aurum natronatum muriaticum:	fibromas of the uterus
Calcium arsenicosum:	hardening of the uterus
Calcium Iodatum:	fibromas of the uterus and breasts due to thyroid
	disorders
Carcinominum:	premalignancy of the uterus and breasts
Cholesterinum:	for tumours, drainage of the liver
Graphites:	dysfunction of the thyroid and fibromas
Calcium silico-fluoratum	
(Lapis albus):	fibromas and hardening of the arteries
Thyreoidinum:	thyroid, heart, breasts and uterus
Thiosinaminum:	reabsorption of cicatricial tissue
Bufo:	neuroimmune regulation
Sequoia gigantea gemmae:	lymphatic drainage of the lower pelvis and
	uterus
Thuja:	immune stimulation
Sepia:	direct effect on the uterus and ovaries
Conium:	premalignancy of the breasts and uterus
Phytolacca:	hardening of the breasts and lymphatic drainage
Silicea:	lymphatic drainage and connective tissue of the
	breasts
Uterus:	general regeneration of the uterus

Posology:

10 drops, 4 times a day, several minutes before or after meals and 10 drops before bedtime.

Combine with Endocrinotox No. 8 (Female gonad endocrine type) and Endocrinotox No. 25 (Neuroimmuno).

ENDOCRINOTOX No. 20 DISCONTINUED MASTO

Indications:

For breast disorders such as fibromas, dysplasia, cysts, hardening, lymphatic congestion, premalignancy, infections, post-operative traumas and mastopathy. It is also an effective post-operative treatment for breasts and after breast removals.

Composition:

Arnica D1 Chimaphila umbellata D1

Badiaga D1 Barium Iodatum D8 Mercurius biiodatus D8 Bufo D8 Thyreoidea 7CH Plumbum Iodatum D9/D12/D15

Conium D9

Silicea D8 Calcium silico-fluoratum (Lapis albus) D8 Calcium carbonicum D12 Phytolacca D4 Carcinominum D9/D12/D15/D30 Graphites D8 Bromum D6 Mercurius Iodatus flavus D10/D12/D15 Carbo animalis D8

Chimaphila umbellate:lympBadiaga:lympBarium Iodatum:hardMercurius biiodatus:hard	sical trauma and physical stress bhatic drainage of the breasts bhatic drainage of the breasts ening of the breasts and cysts ening of the breasts and cysts,
	bhatic drainage of the upper part of body
Thyreoidea: regu	lation of the thyroid, for benign ours and cysts in the breasts
	ening of the breasts and cysts
Conium: (pre)	malignancy of the breasts, cularly after trauma
	ening of the breasts and cysts
	ening of the breasts and cysts
	nective tissue of the breasts, cysts
	llen and aching breasts
Carcinominum: (pre	malignancy, prevention of the latter
Graphites: swel	lings and cysts in the breasts
Bromum: neur	oendocrine regulation and lymphatic
	hage of the breasts
	ening of the breasts and cysts
Carbo animalis: pain brea	ful hardening and swelling of the sts

Posology:

10 drops, 4 times a day, several minutes before or after meals and 10 drops before bedtime.

Combine with Endocrinotox No. 3 (General female regulation) and Endocrinotox No. 6 (Pituitary gland).

PROSTATE

Indications:

Prostate disorders such as Hypertrophy, dysplasia, swelling, lymphatic block, (pre)malignancy, infections and pain. It is also effective for post-operative states and after prostatectomy.

It is used at prophylaxis level by men over the age of 45.

Composition:

Sequoia gigantea gemmae D1 Chimaphila umbellata D1 Sabal serrulatum D1 Zincum metallicum D10 Conium D9 Thuya D2 Solidago virgaurea TM Testosterone propionate 7CH Eupatorium purpureum D2 Fabiana (Pichi pichi) D1 Prostate 9CH/12CH/15CH Populus tremuloides D1 Thyreoidinum 7CH Pancreas 7CH Damiana D1

Sequoia gigantea gemmae:	important lymphatic remedy for the prostate
Chimaphila umbellata:	important lymphatic remedy for the prostate
Sabal serrulatum:	important lymphatic remedy for prostate development
Zincum metallicum:	important mineral remedy for the functionality of the prostate
Conium:	(pre)malignancy of the prostate
Thuya:	important lymphatic remedy for the prostate
Solidago virgaurea:	drainage of the urogenital system
Damiana:	chronic prostatitis
Eupatorium purpureum:	important lymphatic remedy for the prostate
Fabiana (Pichi pichi):	important remedy for the prostate
Prostate:	regeneration of the prostate
Populus tremuloides:	important lymphatic remedy for the prostate
Thyreoidinum:	thyroid has an important role in the development of the prostate and related problems
Pancreas:	important role in the causal chain of stress factors in prostate symptomology
Testosterone propionate:	important hormone for the development of the prostate

Posology:

10 drops, 4 times a day, several minutes before or after meals and 10 drops before bedtime.

Combine with Endocrinotox No. 2 (General male regulation) and Endocrinotox No. 25 (Neuroimmuno).

Indications:

For all post-natal disorders. These disorders can become more significant after a few years.

It is also indicated in the treatment of men, and women who have not had children, as it has a strong effect on the endocrine and emotional systems – stress, emotional stress, depression, biorhythm disorders, seasonal depression (winter depression), post-shock or –trauma stress, suppression caused by allopathic hormones.

Composition:

Arnica TM/D6/D9/D12 Agaricus D4 Echinacea angustifolia TM Hydrastis TM Avena sativa TM Hieracium pilosella TM Fucus vesiculosus TM Bellis perennis D1 Kalium carbonicum D9/D12/D15 Sepia D4/D6/D9/D12 Acidum phosphoricum D4/D6/D9 Podophyllum peltatum D4 Ignatia D6/D9 Pulsatilla D9 Lac caninum D6 Conium D6 Secale cornutum D6 Calcium carbonicum D12 Kalium phosphoricum D9/D12

Arnica: Agaricus: Echinacea angustifolia: Hydrastis: Avena sativa: Hieracium pilosella: Fucus vesiculosus: Bellis perennis: Kalium carbonicum: Kalium phosphoricum: Acidum phosphoricum: Acidum phosphoricum: Ignatia: Pulsatilla: Lac caninum: Conium: Secale cornutum: Calcium carbonicum: Sepia:	 physical overload, connective tissue damage mental depression stimulation of the immune system stimulation of the immune system calming and stimulating effect renal drainage stimulation of the thyroid restoration and regeneration of tissues post-natal disorders asthenia asthenia, lethargy depression and stimulation of the liver nervous depression emotional depression neuroendocrine regulation Weakness post-partum pain regulation of the thyroid

Posology:

10 drops, 4 times a day, several minutes before or after meals and 10 drops before bedtime.

Combine with Endocrinotox No. 3 (General female regulation) and Endocrinotox No. 25 (Neuroimmuno).

REGENERATION

Indications:

General regeneration and rejuvenation.

Preventive treatment and remedy for chronic disorders. It is indicated for patients over 45 as a prophylaxis against premature aging and for a more effective body regeneration.

Composition:

Arnica D9 Ginkgo biloba TM Calcium arsenicosum D6 Calendula D1 Aurum natronatum muriaticum D9 Amber D4 Ammonium benzoicum D6 Barium carbonicum D8 Acidum benzoicum D6 Hepar 4CH Acidum hydrofluoricum D12 Mercurius solubilis D9 Thiosinaminum D4 Placenta 4CH Hypophysis 4CH Oestrogen 7CH Testosterone propionate 4CH Pancreas 4CH Carduus marianus TM

Arnica:	tissue regeneration
Ginkgo biloba:	cerebral and memory regeneration
Calcium arsenicosum:	regeneration of the liver, kidneys and gonads
Calendula:	recovery from injury and arteriosclerosis
Aurum natronatum muriaticum:	arteriosclerosis and tumour prevention
Amber:	neuroendocrine regeneration
Ammonium benzoicum:	regeneration of joints
Barium carbonicum:	arteriosclerosis and cerebral circulation
Acidum benzoicum:	depression for those living in the past
Carduus marianus:	drainage of the liver
Acidum hydrofluoricum:	premature aging
Mercurius solubilis:	aging
Thiosinaminum:	tissue regeneration and absorption
Placenta:	general rejuvenation and regeneration
Hypophysis:	neuroendocrine regulation and
	regeneration
Oestrogen:	neuroendocrine regulation and
-	regeneration
Testosterone propionate:	neuroendocrine regulation and
	regeneration
Pancreas:	regeneration of the pancreas
Hepar:	regeneration of the liver
-	-

Posology:

20 drops, 4 times a day, several minutes before or after meals and 10 drops before bedtime.

Combine with Endocrinotox No. 2 and No. 3 (General male or female regulation) and Detox No. 4 (Cellular load).

NEUROIMMUNE REGULATION/CHILDREN

Indications:

For hyperactive children, with exudative diathesis, chronic infections, growth disorders, and is also effective as a preventive treatment for these disorders. It can be used on any child with chronic infections of the ears or throat, allergies etc.

Composition:

Calcium carbonicum D8 Calcium phosphoricum D8/D10 Calcium fluoratum D8/D10 Calcium arsenicosum D8 Ceanothus americanus D1 Ferrum phosphoricum D8 Medulla ossis 7CH Splen 7CH Thymus 4CH Echinacea angustifolia TM

Echinacea purpurea TM Hydrastis TM Myristica sebifera 1CH Passiflora incarnata TM Hypericum TM Arnica D1 Avena sativa TM Kalium phosphoricum D8 Zincum valerianicum D6/D9 Camomile D6

Calcium carbonicum:	acts on the pituitary gland and thyroid, and is an antidote against pesticides (INTEGRA)
Calcium phosphoricum:	growth deficiencies, weak constitution, weak liver and lymphatic stagnation
Calcium fluoratum:	infections, Otitis Media, tonsillitis
Calcium arsenicosum:	headache, weak spleen, renal weakness,
	with INTEGRA for allergies from food additives
Ceanothus americanus:	weak spleen, poor immune defences
Ferrum phosphoricum:	fever, acts on renal drainage
Medulla ossis:	strengthens the reticulum-endothelial
	system and general constitution
Splen:	the spleen plays an important role in the
	prevention of viruses
Thymus:	regenerates the thymus and counteracts
	emotional stress
Echinacea angustifolia:	general strengthening of the immune
	system
Echinacea purpurea:	stimulation of phagocytosis
Hydrastis:	stimulation of the liver and lymph
Myristica sebifera:	strengthening of the immune system against bacterial infections
Passiflora incarnata:	neuroendocrine sedative and calming
Hypericum:	strengthens the nervous system against
	heavy metals and overstimulation, acts
	on the thalamus (INTEGRA)
Arnica:	follow-up for concussion treatment,
	traumas to the brain, lesions of cicatricial
	tissue, traumas
Avena sativa:	sedative for the nervous system
Kalium phosphoricum:	strengthens the defences against viral
	infections
Zincum valerianicum:	for hyperactivity due to overstimulation
Camomile:	acts on the limbic system (INTEGRA)

Posology:

10 drops, 4 times a day, several minutes before or after meals and 10 drops before bedtime.

Combine with **Detox No. 8 (Immune power)** and **Detox No. 1 (Allergy)**, and for infections, add **Detox No. 10 (Lymph)** as well.

NEUROIMMUNO

Indications:

Weakening of the immune system due to stress, overstimulation, poor lifestyle; works against the effects of alcohol, nicotine, poor food habits.

It is also an effective preventive and regeneration treatment.

Composition:

Calcium arsenicosum D10 Ceanothus americanus TM Hepar 7CH Nervus sympathicus 7CH Splen 7CH Thymus 7CH Echinacea angustifolia TM Echinacea purpurea TM Hydrastis TM Stramonium D9 Passiflora incarnata TM Hypericum TM Arnica TM Ginkgo biloba TM Avena sativa TM Ignatia D4 Berberis TM Sulphur LM6 Adrenalinum D12 Hypophysis 7CH Kalium phosphoricum D8 Zincum valerianicum D6/D9

Calcium arsenicosum:	drainage of the spleen, kidneys and liver, detoxification
Ceanothus americanus:	for drainage of the spleen and immune defences
Hepar:	regeneration of the liver
Nervus sympathicus:	effects of overstimulation
Splen:	strengthening of the spleen and immune system
Thymus:	strengthening of defences against stress
Echinacea angustifolia:	general strengthening of resistance
Echinacea purpurea:	stimulation of phagocytosis (cell
	defences)
Hydrastis:	stimulation of the liver and lymph
Stramonium:	overstimulation, stress
Passiflora incarnata:	sedative
Hypericum:	strengthens the constitution against
	heavy metals and overstimulation, acts
	on the thalamus (INTEGRA)
Arnica:	soft tissue traumas, strengthening of the
	constitution against physical and
	emotional stress
Ginkgo biloba:	activation of cerebral circulation and memory
Avena sativa:	strengthens the nervous system
Ignatia:	overstimulation, depression, stress
Berberis:	strengthens liver and kidney drainage
Sulphur:	activates the defence system
Adrenalinum:	stress
Hypophysis:	strengthens the neuroendocrine system
Kalium phosphoricum:	viral defences and production of
	interferon
Zincum valerianicum:	overstimulation

Posology:

10 drops, 4 times a day, several minutes before or after meals and 10 drops before bedtime.

Combine with Detox No. 17 (Stress) and Endotox No. 14 (Thymus).

PARATHYROIDS

Indications:

Regulation of parathyroid function, bone development, lymphatic drainage, recovery after a bone fracture, concussion, trauma, shock. It is also indicated for rheumatic disorders, arthritis, growth disorders in children, mineral deficiencies, calcium and fluoride supplements for children, strengthening of teeth against cavities and chronic infections, stagnation of the lymph, arteriosclerosis and hardening of tissues.

Composition:

Abies pectinata gemmae D1 Pinus Montana gemmae D1 Calcium carb. Hahnemanni D8/D12 Calcium fluoratum D8/D12 Calcium gluconium D8/D12 Calcium phosphoricum D4/D8 Natrum phosphoricum D6 Calcium Iodatum D6/D9/D12 Calcium silico-fluoratum (lapis albus) D8/D10 Vitamin D D6/D8/D10 Os totalis 4CH Hepar sulphuris D6/D10 Sepia D3/D6 Silicea D8 Kalium carbonicum D8 Glandula parathyreoidea 7CH Boron D8/D10

Abies pectinata gemmae:	drainage for bone metabolisms and arthritis
Pinus Montana gemmae:	drainage for bone metabolisms and rheumatic infections
Calcium carb. Hahnemanni:	acts on parathyroids, thyroid and pituitary gland
Calcium fluoratum:	acts on bone growth, lymph and dental caries, arteriosclerosis and chronic bacterial infections
Calcium gluconium:	acts on parathyroids
Calcium phosphoricum:	strengthens bone development and immune defence
Natrum phosphoricum:	renal calculi, acidosis, excessive consumption of soft drinks
Calcium Iodatum:	thyroid, lymphatic stagnation, tonsillitis, defences against viruses
Calcium silico-fluoratum	6
(lapis albus):	strengthens connective tissue
Vitamin D:	strengthens resistance and bone development
Os totalis:	regeneration of bone
Hepar sulphuris:	increases resistance and strengthens the immune system
Sepia:	stimulates the neuroendocrine system
Silicea:	strengthens the connective tissue, antioxidant
Kalium carbonicum:	strengthens the liver, adrenal glands and connective tissue
Glandula parathyreoidea:	regeneration of parathyroids

Posology:

10 drops, 4 times a day, several minutes before and after meals and combine with **Detox No. 4 (Cellular load)** and **Endocrinotox No. 6 (Pituitary gland)**.

DETOXIFICATION AND ENDOCRINOTOX THERAPY

The best therapeutic approach is to start with the detoxification programme outlined in the Detox/Endotox Handbook. When you have completed this programme you can begin Endocrinotox Therapy as outlined in this booklet.

Endocrinotox Therapy can also be started before the detoxification programme is completed. This system can be used to strengthen a classic homeopathic therapy with polycrests.

The following is a summary of the therapeutic programme:

1. <u>Detox</u> therapy (outlined in the Detox/Endotox Handbook):

Reduction of exogenous toxins

2. <u>Endotox</u> therapy (outlined in the Detox/Endotox Handbook):

Reduction of endogenous toxins

3. <u>Endocrinotox</u> therapy (see the beginning of this booklet):

For regenerating and strengthening the tissues and the immune system, and improving the general feeling of wellbeing.

4. Maintenance therapy:

This is devised according to weak points and symptoms; prescribe a remedy for each group (Detox, Endotox and Endocrinotox) being supported, if necessary using Flowerplex or Allergyplex.

The Endocrinotox remedies can be combined with any other type of therapy and they have a profound action. They can be used on the basis of symptoms or testing methods such as Vega, BFD, EAV and kinesiology.

ENDOCRINOTOX THERAPY AND PREGNANCY

There are no contraindications with using Endocrinotox therapy during pregnancy.

The following remedies are recommended during pregnancy:

- 1. Endocrinotox No. 3 (General female regulation)
- 2. A remedy suitable for the patient's endocrine type (Pituitary, adrenal, gonad, thyroid) and identified using a test or at the anamnesis. If you are in any doubt, prescribe Endocrinotox No. 6 (Pituitary gland).
- 3. Endocrinotox No. 25 (Neuroimmuno)
- 4. Endocrinotox No. 26 (Parathyroids)

One month before giving birth:

- 1. Detox No. 3 (Connective tissue)
- 2. Detox No. 13 (Kidneys)
- 3. Detox No. 11 (Ligaments)
- 4. Detox No. 8 (Immune power)

During labour:

- 1. Detox No. 17 (Stress)
- 2. Detox No. 3 (Connective tissue)
- 3. Endotox No. 13 (Sugar)

These remedies can be mixed together in one bottle and administered every 5-10 minutes (5-10 drops).

After the birth:

- 1. Detox No. 3 (Connective tissue)
- 2. Endocrinotox No. 22 (Postnatal)
- 3. Endotox No. 12 (Muscle tissue)
- 4. Endocrinotox No. 23 (Regeneration)

ENDOCRINOTOX THERAPY AND CHILDREN

It is very difficult to establish a child's endocrine type. In children under the age of 6, the pituitary endocrine type is the most common. It is best to carry out a test in order to establish which is the most effective remedy.

For chronic infections:

Endocrinotox No. 26 (Parathyroids): 20 drops before bedtime
 Endocrinotox No. 24

 (Neuroimmune regulation/children): 10 drops, 4 times a day
 Detox No. 8 (Immune power): 15 drops, 4 times a day
 Endotox No. 14 (Thymus): 20 drops in the morning
 Detox No. 10 (Lymph): 10 drops, 3-6 times a day

Continue with this therapeutic scheme for 3 months; the majority of children will greatly improve.

REGENERATION AND ENDOCRINOTOX THERAPY

For arteriosclerosis, Alzheimer's disease, memory loss and as a preventive treatment:

20 drops, 4 times a day

- 1.Endotox No. 6 (Brain)20 drops before bedtime
- Endocrinotox No. 2 or No. 3 (General male or female regulation): 20 drops before bedtime
- 3. Endotox No. 1 (Circulation):
- 4. Endocrinotox No. 23 (Regeneration): 20 drops before bedtime
- 5. Endocrinotox No. 26 (Parathyroids): 20 drops in the morning

It is also important to support the body with antioxidants such as betacarotene, Vitamin C, Selenium and Vitamin E.

HIGHLY SENSITIVE PATIENTS AND ENDOCRINOTOX THERAPY

Reactions and worsenings may occur when homeopathic remedies are used. This can happen with Endocrinotox therapy, but it is extremely rare. When treating highly sensitive patients, it is advisable to begin with Endocrinotox Therapy as it helps to strengthen the body and prepare it for detoxification.

ACUPUNCTURE AND ENDOCRINOTOX THERAPY

Endocrinotox is an ideal support therapy to combine with acupuncture therapies and Chinese phytotherapy. The remedies have a profound effect and strengthen the effects of acupuncture.

BIOENERGY TESTING AND ENDOCRINOTOX THERAPY

Various methods can be used to test these remedies:

The VEGA test, EAV test (Voll), BFD test, Kinesiology, and INTEGRA (the system developed by Dr. Martina).

These systems can be used to establish the level of toxicity in the body and the efficacy of the various remedies.

THERAPEUTIC INDEX

A

Adiposity (being overweight/obese)	 I.Identify the constitutional endocrine type Endocrinotox No. 10 (Hypothyroid), 10 drops, 4-6 times a day Endotox No. 8 (Hypometabolic), 4-6 times a day
	Carry out renal drainage as well (Detox No. 13). Regulate the metabolism of sugar (Endotox No. 13)
Adrenal insufficiency	Endocrinotox No. 9 (Adrenal glands), Detox No. 6 (Energy load), Endocrinotox No. 23 (Regeneration)
Anxiety, irritability, stress	1. Identify the constitutional endocrine type. Then Detox No. 17 (Stress), Endocrinotox No. 1 (PMS), Endocrinotox No. 2 or No. 3
Arteriosclerosis	Endotox No. 1 (Circulation) and No. 15 (Fats) Endocrinotox No. 23 (Regeneration) Endotox No. 6 (Brain) and Detox No. 9 (Liver)

B

Bleeding between menstrual cycles	Endocrinotox No. 13 (Cyclometro) Endocrinotox No. 3 (General female regulation) Endocrinotox No. 19 (Uterus)
Brain (circulation)	See "Dementia" or "Arteriosclerosis"

Breasts (cysts, pain, Swelling, hardening, lumps)	Endocrinotox No. 20 (Masto) Detox No. 10 (Lymph), Detox No. 4 (Cellular load) According to the side affected (right or left): Endocrinotox No. 4 or No. 5 (right or left ovary)
	С
Change in time zone	Endocrinotox No. 25 (Neuroimmuno) Endocrinotox No. 6 (Pituitary gland), Detox No. 17 (Stress)
Chronic fatigue	Detoxification therapy (see the Detox/Endotox handbook); then regeneration therapy (see this booklet)
Chronic infections	Endotox No. 14 (Thymus) Detox No. 10 (Lymph) and No. 8 (Immune power) Endocrinotox No. 25 (Neuroimmuno)
Colic (in children)	Endocrinotox No. 24 (Neuroimmune regulation – children) Endocrinotox No. 18 (Cyclodysmeno)
D	
Dementia	 Endotox No. 6 (Brain): 20 drops before bedtime Endocrinotox No. 2 or No. 3 (General male or female regulation): 20 drops before bedtime

female regulation): 20 drops before bedtime3. Endotox No. 1 (Circulation): 20 drops, 4 times a day

4	Endocrinotox No. 23 (Regeneration): 20 drops before bedtime
5	Endocrinotox No. 26 (Parathyroids): 20 drops in the morning
r E	Flowerplex Therapy (see the Flowerplex Vademecum) Detox No. 17 (Stress), Endocrinotox No. 22 (Postnatal), Endotox No. 3 (Sugar)

E

Endocrine disorders (female)	Endocrinotox No. 3 (General female regulation) and remedy according to endocrine type, Detox No. 7 (Hormonal feedback). Endocrinotox No. 8-12-13-14-15-16-17-18 – depending on the type of disorder
Endocrine disorders (male)	Endocrinotox No. 2 (General male regulation) and remedy according to endocrine type, Detox No. 7 (Hormonal feed-back) Endocrinotox No. 7 (Male gonad endocrine type)

F

Fatigue	Endocrinotox No. 9 (Adrenal glands), Detox No.
	6 (Energy load) and Detox No. 4 (Cellular load)

G

Growth in children	Endocrinotox No. 6 (Pituitary gland), No. 26 (Parathyroids)
	Detox No. 4 (Cellular load), Detox No. 10 (Lymph)

H

Heart and circulation	See "Arteriosclerosis"
Hot flashes	Endocrinotox No. 3 (General female regulation) Endocrinotox No. 16 (Cyclopreclim)

Ι

Immune defences	
(weakened)	Endocrinotox No. 25 (Neuroimmuno), Endotox
	No. 14 (Thymus), Detox No. 18 (Virus) and Detox No. 2 (Bacteria)

Immune defences	
(weakened by stress)	See "Stress"

M

Memory (loss of)	See "Dementia"
Menopause	Endocrinotox No. 17 (Cycloclim) Constitutional remedy according to endocrine type
Menstrual cycle (irregular)	Endocrinotox No. 14 (Cycloregular) Endocrinotox No. 3 (General female regulation)
Menstrual cycle (short)	Endocrinotox No. 12 (Cycloregular) Endocrinotox No. 3 (General female regulation)
Menstruation (heavy)	Endocrinotox No. 13 (Cyclometro) Endocrinotox No. 3 (General female regulation)
Menstruation (painful, cramps)	Endocrinotox No. 18 (Cyclodysmeno) Endocrinotox No. 3 (General female regulation)

Menstruation (scanty)	Endocrinotox No. 15 (Cyclostim) Endocrinotox No. 3 (General female regulation)
Metabolism (accelerated)	Endocrinotox No. 11 (Hyperthyroid) Endotox No. 7 (Hypermetabolic)
Metabolism (slowed)	Endocrinotox No. 10 (Hypothyroid) Endotox No. 8 (Hypometabolic)

0

Osteoporosis	Endocrinotox No. 3 (General female regulation) Endocrinotox No. 26 (Parathyroids)
Ovaries (painful)	Endocrinotox No. 18 (Cyclodysmeno) Endocrinotox No. 3 (General female regulation) Endocrinotox No. 4 or No. 5 (Left or right ovary)

Р

Premenopause	Endocrinotox No. 16 (Cyclopreclim) Constitutional remedy according to endocrine type
Premenstrual Mastodynia	Endocrinotox No. 1 (PMS) and No. 20 (Masto), Endotox No. 13 (Sugar) and Detox No. 9 (Liver)
Premenstrual Syndrome (PMS)	Endocrinotox No. 1 (PMS), Endotox No. 13 (Sugar) and Detox No. 17 (Stress)
Prophylaxis (Pre- and Post-partum)	 The first month Detox No. 3 (Connective tissue) Detox No. 13 (Kidneys) Endotox No. 3 (Connective tissue) Endotox No. 13 (Sugar)

- During labour
- 1. Detox No. 17 (Stress)
- 2. Detox No. 3 (Connective tissue)
- 3. Endotox No. 13 (Sugar)

These remedies can be mixed together in one bottle and administered every 5-10 minutes (5-10 drops)

Prostate (Hypertrophy)

Endocrinotox No. 21 (Prostate), No. 23 (Regeneration) and No. 2 (General male regulation)

S

Sensitivity to cold	Endocrinotox No. 9 (Adrenal glands) Endocrinotox No. 25 (Neuroimmuno) Detox No. 6 (Energy load)
Stress	Endocrinotox No. 25 (Neuroimmuno) Endotox No. 14 (Thymus) and Detox No. 17 (Stress)